§310.17 Inspection of mammary glands.

- (a) Lactating mammary glands and diseased mammary glands of cattle, sheep, swine, and goats shall be removed without opening the milk ducts or sinuses. If pus or other objectionable material is permitted to come in contact with the carcass, the parts of the carcass thus contaminated shall be removed and condemned.
- (b) Nonlactating cow udders may be saved for food purposes provided suitable facilities for handling and inspecting them are provided. Examination of udders by palpation shall be done by a Program employee. When necessary, in the judgment of the Program employee for adequate inspection, the official establishment employees shall incise udders in sections no greater than 2 inches in thickness. All udders showing disease lesions shall be condemned by a Program employee. Each udder shall be properly identified with its respective carcass and kept separate and apart from other udders until its disposal has been accomplished in accordance with the provisions of part 311 of this subchapter.
- (c) Lactating mammary glands of cattle, sheep, swine, and goats shall not be saved for edible purposes.
- (d) The udders from cows officially designated as "Brucellosis reactors" or as "Mastitis elimination cows" shall be condemned.

§310.18 Contamination of carcasses, organs, or other parts.

- (a) Carcasses, organs, and other parts shall be handled in a sanitary manner to prevent contamination with fecal material, urine, bile, hair, dirt, or foreign matter; however, if contamination occurs, it shall be promptly removed in a manner satisfactory to the inspector.
- (b) Brains, cheek meat, and head trimmings from animals stunned by lead, sponge iron, or frangible bullets shall not be saved for use as human food but shall be handled as described in §314.1 or §314.3 of this subchapter.

§ 310.19 Inspection of kidneys.

An employee of the establishment shall open the kidney capsule and expose the kidneys of all livestock at the time of slaughter for the purpose of examination by a Program employee.

§310.20 Saving of blood from livestock as an edible product.

Blood may be saved for edible purposes at official establishments provided it is derived from livestock, the carcasses of which are inspected and passed, and the blood is collected, defibrinated, and handled in a manner so as not to render it adulterated under the Federal Meat Inspection Act and regulations issued pursuant thereto. The defibrination of blood intended for human food purposes shall not be done with the hands. Anticoagulants may be used in accordance with 21 CFR chapter I, subchapter A and subchapter B, or by regulation in 9 CFR chapter III, subchapter A or subchapter E.

[64 FR 72174, Dec. 23, 1999]

§ 310.21 Carcasses suspected of containing sulfa and antibiotic residues; sampling frequency; disposition of affected carcasses and parts.

- (a) Calf carcasses from animals suspected of containing biological residues under §309.16(d) of this subchapter shall, on post-mortem inspection, be handled in accordance with the provisions of this section.
- (b) For purposes of this section, the following definitions shall apply:
- (1) Calf. A calf up to 3 weeks of age or up to 150 pounds.
- (2) Certified calf. A calf that the producer and all other subsequent custodians of the calf certify in writing has not been treated with any animal drug while in his or her custody or has been treated with one or more drugs in accordance with FDA approved label directions while in his or her custody and has been withheld from slaughter for the period(s) of time specified by those label directions.
- (3) Healthy carcass. A carcass that an inspector determines shows no lesions of disease or signs of disease treatment at post-mortem inspection
- (4) *Producer*. The owner of the calf at the time of its birth.
- (5) Sick calf carcass. A calf carcass that an inspector on post-mortem inspection determines has either signs of disease treatment or lesions of disease

§310.21

or was from an animal identified as sick on ante-mortem.

- (6) Sign of treatment. Sign of treatment of a disease is indicated by leakage around jugular veins, subcutaneous, intramuscular or intraperitoneal injection lesions, or discoloration from particles or oral treatment in any part of the digestive tract.
- (7) Veterinary medical officer. An inspector of the Program that has obtained a Doctor of Veterinary Medicine degree which is recognized by the Program.
- (c) Selection of carcasses for testing. The inspector shall perform a swab bioassay test 1 on:
- (1) Any carcass from a calf tagged as "U.S. Suspect" at the time of antemortem inspection, except that calves whose carcasses are condemned for pathology shall not be tested for drug residues.
- (2) Any carcass which he/she finds has either lesions of disease which is not condemned because of these lesions or a sign of treatment of disease at the time of post-mortem inspection,
- (3) Any carcass of a calf from a producer whose calf or calves have previously been condemned for residues as prescribed in paragraph (e) of this section, and
- (4) Carcasses from healthy-appearing certified and noncertified calves, as determined by the veterinary medical officer during ante-mortem inspection, will be selected for testing as set forth below:

Testing level	Sampling Rate (percent of estimated day's slaughter)	
	Certified	Noncertified
A	100 50 20 5	100 50 30 10
É	2	5
F	1	2

¹The procedures for performing the swab bioassay test are set forth in one of two self-instructional guides: "Performing the CAST" or "Fast Antimicrobial Screen Test." These guides are available for review in the office of the FSIS Docket Clerk, Room 4352 South, Food Safety and Inspection Service, U.S. Department of Agriculture, Washington, DC 20250.

- (d) Testing of carcasses:
- (1) The inspector shall test all carcasses as prescribed in paragraph (c) of this section.
- (2) Upon initiation of this program at an establishment, the inspector shall begin the testing rate for carcasses from healthy-appearing certified and noncertified calves at Level D as prescribed in paragraph (c)(4) of this section. The inspector shall increase the testing rate to the next higher level the following business day when three carcasses in 100 or less consecutively tested show a positive test result for a drug residue. The inspector shall decrease it to the next lower level when no more than two calves show a positive test result for a drug residue in either 500 calves consecutively tested or all calves tested over a 60 working day period.
- (3) Test results shall be determined by the veterinary medical officer.
- (4) The establishment may designate one or more of its employees to aid the inspector in performing the swab bioassay test under the supervision of the veterinary medical officer who shall interpret the results, maintain animal identification with the test unit, and ensure integrity of the testing program.
- (5) All carcasses and parts thereof from calves selected for testing shall be retained until all test results are complete.
- (6) The veterinary medical officer shall condemn all carcasses and parts thereof for which there are positive test results and release for human consumption all carcasses and parts thereof for which there are negative test results.
- (7) If there is a positive test result, subsequent calves from the producer of the calf shall be tested in accordance with paragraph (e) of this section. These test results will not be included in computations to determine an establishment's compliance record.
- (8) The veterinary medical officer may reduce inspection line rates when, in his/her judgment, the prescribed testing cannot be adequately performed within the time available because the establishment's compliance history dictates a need for extensive testing.

- (e) Calves from producers with a previous residue condemnation. The inspector shall perform a swab bioassay test on all carcasses of all calves in the group. The veterinary medical officer shall determine the test results and shall condemn any carcass and parts thereof for which there is a positive test result and pass for human consumption any such carcass and parts thereof for which there is a negative test result. All subsequent calves from the same producer which has previously sold or delivered to official establishments any carcass that was condemned because of drug residues must be tested according to this paragraph until five consecutive animals test completely free of animal drug resi-
- (f) If the owner or operator of an official establishment disagrees with the veterinary medical officer's disposition of carcasses and parts thereof, the owner or operator may appeal as provided in section 306.5 of this chapter.

[50 FR 32164, Aug. 9, 1985, as amended at 52 FR 2104, Jan. 20, 1987; 55 FR 7475, Mar. 2, 1990; 60 FR 66483, Dec. 22, 1995]

§ 310.22 Specified risk materials from cattle and their handling and disposition.

- (a) The following materials from cattle are specified risk materials, except when they are from cattle from a country that can demonstrate that its bovine spongiform encephalopathy (BSE) risk status can reasonable be expected to provide the same level of protection from human exposure to the BSE agent as prohibiting specified risk materials for use as human food does in the United States:
- (1) The brain, skull, eyes, trigeminal ganglia, spinal cord, vertebral column (excluding the vertebrae of the tail, the transverse processes of the thoracic and lumbar vertebrae, and the wings of the sacrum), and dorsal root ganglia from cattle 30 months of age and older and
- (2) The distal ileum of the small intestine and the tonsils from all cattle.
- (b) Specified risk materials are inedible and prohibited for use as human food
- (c) Specified risk materials must be removed from the carcasses of cattle,

- segregated from edible materials, and disposed of in accordance with §314.1 or §314.3 of this subchapter. The spinal cord from cattle 30 months of age and older must be removed from the carcass at the establishment where the animal was slaughtered.
- (d) Requirements for use of the small intestine for human food. (1) The small intestine from all cattle may be used for human food if:
- (i) It is derived from cattle that were inspected and passed in an official establishment in the United States or in a certified foreign establishment in a country listed in 9 CFR 327.2(b) as eligible to export meat and meat products to the United States and it is otherwise eligible for importation under 9 CFR 327.1(b), and
- (ii) The distal ileum is removed by a procedure that removes at least 80 inches of the uncoiled and trimmed small intestine as measured from the ceco-colic junction and progressing proximally towards the jejunum or by a procedure that the establishment demonstrates is effective in ensuring complete removal of the distal ileum.
- (iii) If the conditions in paragraphs (d)(1)(i) or (ii) of this section are not met, the entire small intestine must be removed from the carcass, segregated from edible materials, and disposed of in accordance with §§314.1 or 314.3 of this subchapter.
- (2) The requirements in paragraph (d)(1) of this section do not apply to materials from cattle from countries that can demonstrate that their BSE risk status can reasonably be expected to provide the same level of protection from human exposure to the BSE agent as prohibiting specified risk materials for use as human food does in the United States.
- (e) Procedures for the removal, segregation, and disposition of specified risk materials. (1) Establishments that slaughter cattle and establishments that process the carcasses or parts of cattle must develop, implement, and maintain written procedures for the removal, segregation, and disposition of specified risk materials. These procedures must address potential contamination of edible materials with specified risk materials before, during, and